

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS****AND DOMESTIC ANIMALS**

**DANGER: Convulsive Poison!** Fatal if swallowed or inhaled. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Do not breathe dust. Do not apply this product in a way that will contact any person or pet. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Applicators and handlers when handling containers, or loading bait into mechanical application equipment, or hand baiting, or when disposing of non-rigid containers (e.g. bags), must wear:

- Long-sleeved shirt and long pants,
- Waterproof gloves,
- Shoes plus socks,
- Goggles or face shield, and
- A minimum of a NIOSH-approved particulate filtering facepiece respirator with an R, or P filter, OR a NIOSH-approved elastomeric particulate respirator with any R, or P filter.

OR a NIOSH-approved powered air purifying respirator with a HE filter.

Follow the manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY****RECOMMENDATIONS**

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then, wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of waterproof gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not allow bait to be exposed on soil surface. Do not apply directly to water, or to areas where surface water is present or to intentional areas below the mean high water mark. Do not contaminate water by cleaning of equipment, or disposal of wastes.

**ENDANGERED SPECIES****CONSIDERATIONS**

**NOTICE:** The killing of a member of an endangered species during strychnine baiting operations may result in a fine under the Endangered Species Act. Before baiting, the user is advised to contact the Regional U.S. Fish and Wildlife Service (Endangered Species Specialist) or the local Fish and Game Office for specific information on endangered species. Strychnine baits should not be used in the geographic ranges of the following species except under programs and procedures approved by the USEPA: gray wolf, grizzly bear, Mooro Bay kangaroo rat, salt marsh harvest mouse and San Joaquin kit fox.

**RESTRICTED USE PESTICIDE**

**DUO TO HAZARD TO NONTARGET ORGANISMS**

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

**POCKET GOPHER BAIT**

CONTAINING

**STRYCHNINE 1-10 FORMULATION ON MILLO**

ACTIVE INGREDIENT: % BY WT.

STRYCHNINE 0.5%

INERT INGREDIENTS 99.5%

TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER POISON**

**FIRST AID****IF SWALLOWED: CALL A POISON CONTROL CENTER OR DOCTOR IMMEDIATELY FOR TREATMENT ADVICE.**

- If less than ten (10) minutes have passed since the poison was taken, give 1 to 2 glasses of water and induce vomiting by touching back of the throat with finger.
- Repeat until vomit fluid is clear. Have victim lie down in a quiet, darkened room and keep victim warm and quiet.
- If victim is unconscious, do not give anything by mouth and do not induce vomiting.

**IF INHALED:**

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for treatment advice.

**IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

**NOTE TO PHYSICIAN**

A. Administer 100% OXYGEN by positive pressure to provide as much pulmonary gas exchange as possible, despite seizures.  
B. Administer ANTICONVULSANT DRUGS intravenously to control convulsions.  
**NOTICE:** It may be difficult or impossible to stop the seizure activity without stopping respiration. Be prepared to maintain pulmonary ventilation mechanically. Tracheotomy may be necessary if seizures are prolonged.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies, call the poison control center at 1-800-222-1222. For general information on this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at <http://npic.orst.edu>

MFG. BY: R & M EXTERMINATORS, INC.

24212 SOUTH "D" STREET  
CHENEY, WA 99004

EPA EST. NO.: 4271-WA-1  
EPA REG. NO.: 4271-17



NET WEIGHT 25 LBS.

**DIRECTIONS FOR USE**

**RESTRICTED USE PESTICIDE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS:** This product may only be used in underground applications to control pocket gophers (*Craigeomys* spp., *Geomys* spp., *Papogeomys* spp., and *Thomomys* spp., except the Mazama pocket gopher (*Thomomys mazama*) in Thurston and Pierce counties Washington. In forests, orchards, alfalfa fields, hay fields, pastures, rangelands, noncrop areas, and cropland. Bait must be applied directly into pocket gophers' underground tunnels or into artificial burrow systems using the methods prescribed on this label. Do not apply this product above the ground surface. Do not apply this product over food and feed crops. Pick up and properly dispose of spilled bait. Do not apply this product in a way that will contact workers, other persons, pets, or domestic animals. Keep pets and other people out of the area during application.

**BAITING DIRECTIONS****LOCATING RUNWAYS**

To locate a gopher's natural runway, probe about 6" to 8" from an active mound, beginning on the flat side of the horseshoe-shaped depression. Using an iron bar, a strong stick, a bait-dispensing probe, or other suitable implement, probe 8" to 10" below soil level. Soil resistance on the probe will decrease when runway is entered.

**CLOSING PROBE HOLES**

After bait placement has been made, cover opening with sod or dirt to close hole and exclude light. Do not permit dirt to sift in and cover bait.

**TREATMENT RATE**

Depending upon pocket gopher population levels, one pound of bait applied manually will treat one to eight acres.

**HAND BAITING**

Bait must be placed into pocket gopher runways. Remove burrow plug from the flat side of the burrow fan. Using a long-handled spoon, insert one teaspoon of bait into the main runway system. Make 2-7 bait sets per burrow system, depending on the system's apparent length. Close probe holes as indicated above.

**BAIT-DISPENSING PROBE APPLICATION**

Read manufacturer's instructions for the equipment selected for use. Determine how to calibrate equipment or otherwise ensure that each bait placement will be approximately one teaspoonful. Locate the main underground runway through probing, as indicated under LOCATING RUNWAYS. When probe is in the main runway, operate the dispenser to release bait into tunnel. Pick up or bury any spilled bait immediately. Make 2 to 7 bait sets per burrow system, depending upon the system's apparent length. Close probe holes as indicated above.

**ARTIFICIAL BURROW-BUILDER METHOD**

When treating extensive areas, "BURROW BUILDERS" may be used. Follow manufacturer's instructions for the equipment used to apply gopher bait. Make sure that machine-built burrows intersect pocket gopher burrows at the depth at which gophers have been tunneling. For greater efficiency of treatment, machine-built burrows should intersect as many gopher tunnels as possible at right angles. Apply bait at a rate of 1 to 3 pounds per acre, using a 20' to 30' row spacing interval. Apply only when soil condition is proper to insure formation of a good artificial burrow.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store only in original container, in a dry place inaccessible to children, pets and domestic animals.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Non refillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration.

**WARRANTY**

Seller warrants that this product conforms to the chemical description of the label and is reasonably fit for the purposes referred to in the directions for use. Seller makes no other warranties, express or implied, including FITNESS or MERCHANTABILITY. In no case shall the seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by the Seller and is acceptable as such by the buyer.

BATCH CODE

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS****AND DOMESTIC ANIMALS**

**DANGER: Convulsive Poison!** Fatal if swallowed or inhaled. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Do not breathe dust. Do not apply this product in a way that will contact any person or pet. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

**PERSONAL PROTECTIVE****EQUIPMENT (PPE)**

Applicators and handlers (when handling containers, or loading bait into mechanical application equipment, or hand baiting, or when disposing of non-rigid containers (e.g. bags), must wear:

- Long-sleeved shirt and long pants,
- Waterproof gloves,
- Shoes plus socks,
- Goggles or face shield, and
- A minimum of a NIOSH-approved particulate filtering facepiece respirator with an R, or P filter; OR a NIOSH-approved elastomeric particulate respirator with any R, or P filter; OR a NIOSH-approved powered air purifying respirator with a HE filter.

Follow the manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY****RECOMMENDATIONS**

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then, wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of waterproof gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Do not allow bait to be exposed on soil surface. Do not apply directly to water, or to areas where surface water is present or to intentional areas below the mean high water mark. Do not contaminate water by cleaning of equipment, or disposal of wastes.

**ENDANGERED SPECIES****CONSIDERATIONS**

**NOTICE:** The killing of a member of an endangered species during strychnine baiting operations may result in a fine under the Endangered Species Act. Before baiting, the user is advised to contact the Regional U.S. Fish and Wildlife Service (Endangered Species Specialist) or the local Fish and Game Office for specific information on endangered species. Strychnine baits should not be used in the geographic ranges of the following species except under programs and procedures approved by the USEPA: gray wolf, grizzly bear, Morro Bay kangaroo rat, salt marsh harvest mouse and San Joaquin kit fox.

**RESTRICTED USE PESTICIDE**

Due to hazard to nontarget organisms  
For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

**POCKET GOPHER BAIT**

CONTAINING

**STRYCHNINE 1-10 FORMULATION ON OATS**

ACTIVE INGREDIENT: % BY WT.

STRYCHNINE 0.5%

INERT INGREDIENTS 99.5%

TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN****DANGER POISON****FIRST AID****IF SWALLOWED: CALL A POISON CONTROL CENTER OR DOCTOR****IMMEDIATELY FOR TREATMENT ADVICE:**

- If less than ten (10) minutes have passed since the poison was taken, give 1 to 2 glasses of water and induce vomiting by touching back of the throat with finger.
- Repeat until vomit fluid is clear. Have victim lie down in a quiet, darkened room and keep victim warm and quiet.
- If victim is unconscious, do not give anything by mouth and do not induce vomiting.

**IF INHALED:**

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for treatment advice.

**IF IN EYES:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

**NOTE TO PHYSICIAN**

A. Administer 100% OXYGEN by positive pressure to provide as much pulmonary gas exchange as possible, despite seizures.  
B. Administer ANTICONVULSANT DRUGS intravenously to control convulsions.  
**NOTICE:** It may be difficult or impossible to stop the seizure activity without stopping respiration. Be prepared to maintain pulmonary ventilation mechanically. Tracheotomy may be necessary if seizures are prolonged.  
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For medical emergencies, call the poison control center at 1-800-222-1222. For general information on this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at <http://npic.orst.edu>.

**DIRECTIONS FOR USE****RESTRICTED USE PESTICIDE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**USE RESTRICTIONS:** This product may only be used in underground applications to control pocket gophers (*Citragomys* spp., *Geomys* spp., *Papogomys* spp., and *Thomomys* spp., except the Mazama pocket gopher (*Thomomys mazama*) in Thurston and Pierce counties Washington. In forests, orchards, alfalfa fields, hay fields, pastures, rangelands, noncrop areas, and cropland. Bait must be applied directly into pocket gophers' underground tunnels or into artificial burrow systems using the methods prescribed on this label. Do not apply this product above the ground surface. Do not apply this product over food and feed crops. Pick up and properly dispose of spilled bait. Do not apply this product in a way that will contact workers, other persons, pets, or domestic animals. Keep pets and other people out of the area during application.

**BAITING DIRECTIONS****LOCATING RUNWAYS**

To locate a gopher's natural runway, probe about 6" to 8" from an active mound, beginning on the flat side of the horseshoe-shaped depression. Using an iron bar, a strong stick, a bait-dispersing probe, or other suitable implement, probe 8" to 10" below soil level. Soil resistance on the probe will decrease when runway is entered.

**CLOSING PROBE HOLES**

After bait placement has been made, cover opening with sod or dirt to close hole and exclude light. Do not permit dirt to sift in and cover bait.

**TREATMENT RATE**

Depending upon pocket gopher population levels, one pound of bait applied manually will treat one to eight acres.

**HAND BAITING**

Bait must be placed into pocket gopher runways. Remove burrow plug from the flat side of the burrow fan. Using a long-handled spoon, insert one teaspoon of bait into the main runway system. Make 2-7" bait sets per burrow system, depending on the system's apparent length. Close probe holes as indicated above.

**BAIT-DISPENSING PROBE APPLICATION**

Read manufacturer's instructions for the equipment selected for use. Determine how to calibrate equipment or otherwise ensure that each bait placement will be approximately one teaspoonful. Locate the main underground runway through probing, as indicated under LOCATING RUNWAYS. When probe is in the main runway, operate the dispenser to release bait into tunnel. Pick up or bury any spilled bait immediately. Make 2 to 7 bait sets per burrow system, depending upon the system's apparent length. Close probe holes as indicated above.

**ARTIFICIAL BURROW-BUILDER METHOD**

When treating extensive areas, "BURROW BUILDERS" may be used. Follow manufacturer's instructions for the equipment used to apply gopher bait. Make sure that machine-built burrows intersect pocket gopher burrows at the depth at which gophers have been tunneling. For greater efficiency of treatment, machine-built burrows should intersect as many gopher runways as possible at right angles. Apply bait at a rate of 1 to 3 pounds per acre, using a 20" to 30" row spacing interval. Apply only when soil condition is proper to insure formation of a good artificial burrow.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store only in original container, in a dry place inaccessible to children, pets and domestic animals.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration.

**WARRANTY**

Seller warrants that this product conforms to the chemical description of the label and is reasonably fit for the purposes referred to in the directions for use. Seller makes no other warranties, express or implied, including FITNESS or MERCHANTABILITY. In no case shall the seller be liable for consequential, special, or indirect damages resulting from the use or handling of this product. The foregoing is a condition of sale by the Seller and is acceptable as such by the buyer.

**BATCH CODE**

MEG. BY: R & M EXTERMINATORS, INC. EPA EST. NO.: 4271-WA-1  
24212 SOUTH "D" STREET EPA REG. NO.: 4271-10  
CHENEY, WA 99004

**NET WEIGHT 25 LBS.**